

# FortiGate® FortiOS V7.4.0 Feature/Platform Matrix



	FG/FWF-40F Series	FG/FWF-60E Series	FG/FWF-60F Series	FG-70F Series	FG-80E Series	FG-80F Series	FG-90E Series	FG-140E Series	FG-100F Series	FG-200E Series	FG-200F Series	FG-300E Series	FG-400E Series
<b>Systems</b>													
VDOM Support	•	•	•	•	•	•	•	•	•	•	•	•	•
High Availability (HA)	•	•	•	•	•	•	•	•	•	•	•	•	•
Dedicate CPU for Management Tasks	•		•	•		•			•		•		
IPMI Sensors												•	•
FortiDeploy Support	•	•	•	•	•	•	•	•	•	•	•	•	•
FortiCarrier License Upgrade													
<b>Networking</b>													
Link Aggregation/Redundant Ports for HA	•	•	•	•	•	•	•	•	•	•	•	•	•
Jumbo Frame Support	•	•	•	•	•	•	•	•	•	•	•	•	•
VLAN	•	•	•	•	•	•	•	•	•	•		•	•
Virtual VLAN Switch			•	•		•		•	•		•	•	•
Virtual Hardware Switch	•	•	•	•	•	•	•	•	•		•	•	•
ACL Offload to Switch								•	•		•	•	•
WAN Optimization, Web Caching		61E: Disk Option Toggle	61F: Disk Option Toggle	71F: Disk Option Toggle	81E: Disk Option Toggle	81F: Disk Option Toggle	91E: Disk Option Toggle	101E: Disk Option Toggle	101F: Disk Option Toggle	201E: Disk Option Toggle	201F: Disk Option Toggle	• ***	• ***
Max Explicit Proxy User Number	1,000	1,000	1,000	1,000	1,000	1,000	1,000	12,000	12,000	12,000	12,000	12,000	12,000
<b>Firewall</b>													
SSL Offloading	•	•	•	•	•	•	•	•	•	•	•	•	•
<b>UTM</b>													
AV Quarantine	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI
AV Extreme DB												•	•
nTurbo Acceleration	•	•	•	•	•	•		•	•		•	•	•
DoS Protection	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI	•	•	•	•	•
Syn Proxy with NP												•	•
DLP Fingerprinting			61F	71F		81F			101F	201E	201F	301E	401E
<b>VPN</b>													
L2TP client	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI				
<b>Log &amp; Reporting</b>													
Disk Logging		61E	61F	71F	81E	81F	91E	101E	101F	201E	201F	301E	401E
FortiView Historical Data		61E: 1 hour	61F: 1 hour	71F: 1 hour	81E: 1 hour	81F: 1 hour	91E: 1 hour	101E: 24 hours	101F: 24 hours	201E: 24 hours	201F: 24 hours	301E: 24 hours	401E: 24 hours

^ Doesn't support Mesh  
# Requires local storage

\*\* Default 24 Hours, extension enabled via CLI  
\*\*\* Dual disks



	FG-400F Series	FG-500E Series	FG-600E Series	FG-600F Series	FG-800D	FG-900D	FG-1000D	FG-1100E	FG-1800F Series	FG-2000E FG-2500E	FG-2200E	FG-2600F Series	FG-3000D
Systems													
VDOM Support	•	•	•	•	•	•	•	•	•	•	•	•	•
High Availability (HA)	•	•	•	•	•	•	•	•	•	•	•	•	•
Dedicate CPU for Management Tasks	•		•	•			•	•	•	•	•	•	•
IPMI Sensors	•	•	•	•	•	•	•	•	•	•	•	•	•
FortiDeploy Support	•	•	•	•	•	•							
FortiCarrier License Upgrade												•	•
Networking													
Link Aggregation/Redundant Ports for HA	•	•	•	•	•	•	•	•	•	•	•	•	•
Jumbo Frame Support	•	•	•	•	•	•	•	•	•	•	•	•	•
VLAN	•	•	•	•	•	•	•	•	•	•	•	•	•
Virtual VLAN Switch	•			•				•	•			•	
Virtual Hardware Switch	•			•				•	•			•	
ACL Offload to ISF	•	•	•	•				•	•	•	•	•	•
WAN Optimization, Web Caching	• ***	• ***	• ***	• ***	Disk Option Toggle	Disk Option Toggle	Disk Option Toggle	• ***	• ***	Disk Option Toggle	• ***	• ***	Disk Option Toggle
Max Explicit Proxy User Number	12,000	12,000	12,000	12,000	12,000	12,000	32,000	32,000	32,000	64,000	64,000	64,000	128,000
Firewall													
SSL Offloading	•	•	•	•	•	•	•	•	•	•	•	•	•
UTM													
AV Quarantine	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI
AV Extreme DB	•	•	•	•	•	•	•	•	•	•	•	•	•
nTurbo Acceleration	•	•	•	•	•	•	•	•	•	•	•	•	•
DoS Protection	•	•	•	•	•	•	•	•	•	•	•	•	•
Syn Proxy with NP								•	•	•	•	•	•
DLP Fingerprinting	401F	501E	601E	601F	•	•	•	1101E	1801F	•	2201E	2601F	•
VPN													
L2TP client													
Log & Reporting													
Disk Logging	401F	501E	601E	601F	•	•	•	•	•	•	•	•	•
FortiView Historical Data	401F: 24 hours	501E: 24 hours	601E: 24 hours	601F: 24 hours	24 hours	24 hours	24 hours	7 days **	7 days **	7 days **	7 days **	7 days **	7 days **



	FG-3000F Series	FG-3100D	FG-3200D	FG-3300E	FG-3400E	FG-3500F Series	FG-3600E	FG-3700D	FG-3960E FG-3980E	FG-4200F FG-4400F	FG-5001E Series	FG-6000F Series	FG-7000E Series
Systems													
VDOM Support	•	•	•	•	•	•	•	•	•	•	•	•	•
High Availability (HA)	•	•	•	•	•	•	•	•	•	•	•	•	•
Dedicate CPU for Management Tasks	•	•	•	•	•	•	•	•	•	•	•	•	•
IPMI Sensors	•	•	•	•	•	•	•	•	•	•	•	•	•
FortiDeploy Support													
FortiCarrier License Upgrade	•	•	•	•	•	•	•	•	•	•	•	•	•
Networking													
Link Aggregation/Redundant Ports for HA	•	•	•	•	•	•	•	•	•	•	•	•	•
Jumbo Frame Support	•	•	•	•	•	•	•	•	•	•	•	•	•
VLAN	•	•	•	•	•	•	•	•	•	•	•	•	•
Virtual VLAN Switch	•					•				•			
Virtual Hardware Switch	•					•				•			
ACL Offload to Switch	•	•	•	•	•	•	•	•	•	•	•	•	•
WAN Optimization, Web Caching	• ***	Disk Option Toggle	• ***	• ***	• ***	• ***	• ***	• ***	• ***	• ***	5001E1:Disk Option Toggle		
Max Explicit Proxy User Number	128,000	128,000	128,000	128,000	128,000	128,000	128,000	128,000	128,000	128,000	128,000	64,000	64,000
Firewall													
SSL Offloading	•	•	•	•	•	•	•	•	•	•	•	•	•
UTM													
AV Quarantine	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI	CLI
AV Extreme DB	•	•	•	•	•	•	•	•	•	•	•	•	•
nTurbo Acceleration	•	•	•	•	•	•	•	•	•	•	•	•	•
DoS Protection	•	•	•	•	•	•	•	•	•	•	•	•	•
Syn Proxy with NP	•	•	•	•	•	•	•	•	•	•	•	•	•
DLP Fingerprinting	3001F	•	•	3301E	3401E	3501F	3601E	•		4201/4401F	5001E1	•	•
VPN													
L2TP client													
Log & Reporting													
Disk Logging	•	•	•	•	•	•	•	•	•	•	5001E1	•	•
FortiView Historical Data	7 days **	7 days **	7 days **	7 days **	7 days **	7 days **	7 days **	7 days **	7 days **	7 days **	5001E1: 7 days **	7 days **	7 days **

	FG-7000F Series	FG-VM00	FG-VM01 to VMUL
<b>Systems</b>			
VDOM Support	•		•
High Availability (HA)	•	•	•
Dedicate CPU for Management Tasks	•		
IPMI Sensors	•		
FortiDeploy Support		•	•
FortiCarrier License Upgrade	•	•	•
<b>Networking</b>			
Link Aggregation/Redundant Ports for HA	•	•	•
Jumbo Frame Support	•		
VLAN	•	•	•
Virtual VLAN Switch			
Virtual Hardware Switch			
ACL Offload to ISF	•		
WAN Optimization, Web Caching		Disk Option Toggle / •	Disk Option Toggle / •
Max Explicit Proxy User Number	64,000	128,000	128,000
<b>Firewall</b>			
SSL Offloading	•	•	•
<b>UTM</b>			
AV Quarantine	CLI	CLI	CLI
AV Extreme DB	•		•
nTurbo Acceleration	•		
DoS Protection	•	•	•
Syn Proxy with NP	•		
DLP Fingerprinting	•	•	•
<b>VPN</b>			
L2TP client			
<b>Log &amp; Reporting</b>			
Disk Logging	•	•	•
FortiView Historical Data	7 days **	24 hours	24 hours